Bureau of the Treasury

Intramuros, Manila



Funding the Republic

BIDDING DOCUMENTS

TITLE: Procurement of Network Security and IP Access Management System for the Bureau of the Treasury

ABC: Php 4,200,000.00

ITB-4-2025-G EPA

October 8, 2024

Sixth Edition

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	3
Sectio	on I. Invitation to Bid	6
Sectio	on II. Instructions to Bidders	10
1.	Scope of Bid	
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	18
Sectio	n III. Bid Data Sheet	19
Sectio	on IV. General Conditions of Contract	25
1.	Scope of Contract	26
2.	Advance Payment and Terms of Payment	26
3.	Performance Security	26
4.	Inspection and Tests	27
5.	Warranty	27
6.	Liability of the Supplier	27
Sectio	on V. Special Conditions of Contract	28
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippines KAGAWARAN NG PANANALAPI KAWANIHAN NG INGATANG-YAMAN

(BUREAU OF THE TREASURY)
Intramuros, Manila



INVITATION TO BID

- 1. The Bureau of the Treasury (BTr), through the National Expenditure Program (NEP) For FY 2025, intends to apply the sum of Four Million Two Hundred Thousand Pesos (Php4,200,000.00) being the ABC to payments under the contract for the Procurement of Network Security and IP Access Management System for the Bureau of the Treasury / ITB-4-2025-G-EPA. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **BTr** now invites bids for the above Procurement Project. Delivery of the Goods is required by **Sixty** (60) calendar days upon receipt of Notice to Proceed. Bidders should have completed, within the last five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from the Office of the BTr Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during 8:00 am to 5:00 pm.

A pre-registration will be conducted to prospective bidders who wish to attend the scheduled bidding activities. Only those who registered will be provided an invitation/linkfor the scheduled Pre-Bid Conference. Please refer to the pre-registration link:

https://forms.gle/xqtSTgikKQZNUkCg8

5. A complete set of Bidding Documents may be acquired by interested Bidders on **October 8, 2024** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Five Thousand Pesos (Php5,000.00)**.

- 6. The **BTr-BAC** will hold a Pre-Bid Conference¹ on **October 16, 2024, 1:30 pm via zoom** which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through online or electronic submission as indicated below, on or before <u>8:00 am of October 29, 2024</u>. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be <u>October 29, 2024, 1:30 pm</u>, via zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *electronic* submission of bidding documents shall be made only to the official email: <u>e-bids@treasury.gov.ph</u>. Only pre-registered bidders who have received meeting invitation link and with submitted proof of payment of bidding documents will be allowed to submit their bids.
- 11. The **BTr-BAC** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Bids and Awards Committee Secretariat
Bureau of the Treasury
Ayuntamiento Building
Cabildo St., cor. A. Soriano Avenue, Intramuros Manila
Email: bac@treasury.gov.ph

Contact Number: 8663-2287 loc. 2827

Fax Number: 8524-7017

13. You may visit the following websites:

For downloading of Bidding Documents: www. treasury.gov.ph

For online bid submission: e-bids@treasury.gov.ph

October 8, 2024

8

The schedules of activities are as follows:

A. ACTIVITY	SCHEDULE
1. Advertisement and issuance of Bidding Documents	October 8, 2024 Office of the BAC Secretariat, Ground Floor, Ayuntamiento Bldg., Intramuros, Manila 8:00 a.m. –5:00 p.m.
2. Pre-bid Conference	October 16, 2024, 1:30 pm Via zoom
3. Request for Clarification	Until October 18, 2024 Office of the BAC Secretariat, Ground Floor, Ayuntamiento Bldg., Intramuros, Manila 8:00 a.m5:00 p.m Email: bac@treasury.gov.ph
4. Issuance of Supplemental Bid Bulletin	October 22, 2024 Office of the BAC Secretariat, Ground Floor, Ayuntamiento Bldg., Intramuros, Manila 8:00 a.m. –5:00 p.m
5. Submission and Receipt of Bids	October 29, 2024, 8:00 a.m. e-bids@treasury.gov.ph
6. Opening of Bids	October 29, 2024, 1:30 pm Via zoom

EDUARDO ANTHONY G. MARIÑO III (Sgd.)
Deputy Treasurer of the Philippines
and Chairperson, BAC

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Bureau of the Treasury wishes to receive Bids for the Procurement of Network Security and IP Access Management System for the Bureau of the Treasury / ITB-4-2025-G-EPA.

The Procurement Project (referred to herein as "Project") is composed of , **one** (1) **lot,** the details of which are described in Section VII (Technical Specifications). of being the ABC to payments under the contract for Funding Information

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below in the amount of **Four Million Two Hundred Thousand Pesos (Php4,200,000.00).**
- 2.2. The source of funding is:

FY 2025 National Expenditure Program (NEP)

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address {*insert if applicable*] and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within [state relevant period as provided in paragraph 2 of the **IB**] prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (**Checklist of Technical and Financial Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. [Include if Framework Agreement will be used:] Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**
- 12.2. [Include if Framework Agreement will be used:] For Framework Agreement, the following should also apply in addition to Clause 12.1:
 - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
 - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:

a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **120 days** (**February 26, 2025**). Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. [Include if Framework Agreement will be used:] In the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement or fails to furnish the performance security or performance securing declaration. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB.**

16.2. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with the Procuring Entity shall submit anew their best financial offer at the

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

address and on or before the date and time indicated in the Call for each minicompetition.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

[Include the following options if Framework Agreement will be used:]

- a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation.
- b. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

Option 3 - One Project having several items, which shall be awarded as separate contracts per item.

[Delete Options 2 and 3 if Framework Agreement will be used.]

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible **period of five (5) calendar days from receipt by the Bidder of the notice from the BAC** that it submitted the Lowest
 Calculated Bid, {[Include if Framework Agreement will be used:] or in the
 case of multi-year Framework Agreement, that it is one of the eligible bidders
 who have submitted bids that are found to be technically and financially
 compliant,}the Bidder shall submit its latest income and business tax returns
 filed and paid through the BIR Electronic Filing and Payment System (eFPS)
 and other appropriate licenses and permits required by law and stated in the

BDS. {[Include if Framework Agreement will be used:] For every minicompetition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

[Include the following clauses if Framework Agreement will be used:]

- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
 - a. Framework Agreement Form;
 - b. Bidding Documents;
 - c. Call-offs:
 - d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - e. Performance Security or Performance Securing Declaration, as the case may be;
 - f. Notice to Execute Framework Agreement; and
 - g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	 a. Similar projects are those related to supply and installation of Network Security Forensic Software or Security Monitoring Appliance b. completed within the last five (5) years [2019-2024] prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	No further instructions
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than Php84,000.00 [two percent (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than Php210,000.00 [five percent (5%) of ABC if bid security is in Surety Bond.
	The bid security in the form of cashier's/manager's check shall be payable to the BUREAU OF THE TREASURY.
	Note: During the opening of bids, the scanned copy of bid security (in any form) will be accepted provided that the original will be submitted by the LCB/SCB together with the additional requirements for post-qualification within five (5) calendar days (non-extendible). Failure to do so will be a ground for post-disqualification.
15	General Instructions during the bid opening:
	The bidding documents shall be composed of "Envelope 1 - Technical Component" and "Envelope 2 - Financial Component".
	2. The bidder shall create two (2) archive format compression files (e.g., RAR, ZIP) to be labelled as "Envelope 1 - Technical Component" and "Envelope 2 - Financial Component". These archive format compression files must be protected with strong password (e.g., alphanumeric and special characters) to ensure security, integrity and confidentiality. Unique password must be applied for each archive format compression file.
	The Password must also have the following characteristics:
	1. Must be at least 8 characters in length and consist of at

least three password complexities (e.g. mixture of upper and lowercase letters and digits or symbols;

- 2. User must type in the same way the upper or lowercase letters;
- 3. Must not contain blank spaces or repetitive letters; and
- 4. Must not use "P@\$\$w0rd", username, real name or family names, or previous password.

"Envelope 1 - Technical Component" shall contain all documents listed under the Technical Component of the Checklist of Requirements.

"Envelope 2 - Financial Component" shall contain the Signed Bid Form.

Each and every page of the documents comprising the Technical and Financial Component must be scanned and in readable PDF format.

All electronic copies of bidding documents must be readable.

3. The two (2) archive format compression files must be uploaded to the folder in the drive specified in the email sent by the BAC Secretariat on or before the cut-off date and time as stated in the Invitation to Bid or Bid Bulletin. Thereafter, the bidder shall submit an electronic mail to bac@treasury.gov.ph after successfully uploading the two (2) archive format compression files to e-bids@treasury.gov.ph.

Upon confirmation and receipt of the two (2) archive format compression files, the BAC Secretariat, in coordination with the Management Information System Service, shall generate a bid receipt for the official time of submission. The date and time appearing in the BAC Secretariat's email shall be the date and time of the receipt of bidding documents from the bidder. The BAC Secretariat will acknowledge the receipt of bid/s by sending a reply email containing the generated bid receipt.

Late bid/s shall not be accepted/considered. An auto-generated reply email will be sent to the said bidder/s.

Considering several factors that affect the sending and receipt of electronic mail communications, bidders are encouraged to send their upload request/authorization of their respective bidding documents by electronic mail not later than twenty-four (24) hours before the cut-off period set in the Invitation to Bid.

It is the bidder's responsibility to ensure that its electronic mail containing the bidding documents for the particular procurement

project is duly received by the BAC Secretariat.

4. If a bidder modifies his/its bidding documents before the deadline for modification as allowed under the law, such bidder shall not be allowed to retrieve his/its original bidding documents. Instead, the bidder shall only be allowed to upload another bid in the same folder to be labelled as "Technical Modification" or "Financial Modification". The modification shall also be supported by an electronic mail to the BAC Secretariat through e-bids@treasury.gov.ph. The time indicated in the latest bid receipt generated shall be the official time of submission.

Bids submitted after the deadline set in the Invitation to Bid shall not be accepted/considered.

5. Only bids that are in compressed archive files and are password-protected shall be accepted.

The Bids and Awards Committee assumes no responsibility for the misplacement of the contents of the compressed and password-protected files.

6. The electronically submitted bids will be downloaded from the BAC Secretariat's drive only upon commencement of the Bid Opening. The date and time of receipt of bids as indicated in the generated bid receipt will be shown to the participants.

Actual presence of the bidders or their representatives during the opening of bid/s is required for the disclosure of password to facilitate the opening of the bids which are in archive format compression file. The representatives should be the ones listed in the pre-registration.

Each bidder will be given three (3) times to enter the correct password. If after three times, the bidder representative is unable to disclose the correct password, he/she will be automatically declared ineligible.

- 7. "Envelope 1 Technical Component" will be decrypted first to determine the bidder's eligibility. The password for decrypting "Envelope 1 Technical Component" will be disclosed by the bidder only during the opening of his/its archive format compression file.
- 8. Only "Envelope 2 Financial Component" of the eligible bidder will be decrypted. The password for decrypting "Envelope 2 Financial Component" will be disclosed by the bidder only during the opening of his/its archive format compression file.
- 9. Non-discretionary "pass/fail" criterion as stated in the Section 30

	of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184 shall be used during the Bid Opening.
	10. All other rules and procedures as provided under Republic Act No. 9184, and its 2016 Revised Implementing Rules and Regulations are deemed incorporated as part of this instruction.
	The date and time of bid opening is on October 29, 2024, 1:30 pm Philippine Standard Time (PST), via zoom
16	Bid documents submitted through electronic means which have not complied with the pre-registration and prior payment of bid documents requirement shall not be opened and considered immediately disqualified.
	A G-Suite drive of <u>e-bids@treasury.gov.ph</u> shall be maintained as official repository of all electronically submitted bidding documents.
	A folder will be created in the google drive for each procurement project. Within the folder, sub-folders will be created for each of the prospective bidders gathered from the pre-registration form. (Settings: Editor only – do not allow editor to change the folder sharing options)
	3. The BAC Secretariat will send email to pre-registered bidders. The email shall indicate the link of the bidder's own folder in the google drive for the specified procurement project. To ensure integrity of the google drive, access thereto by the bidder shall be subject to confirmation/approval by the BAC Secretariat. (Settings: Do not give access)
	4. The BAC Secretariat shall verify all request for access to the google drive for electronic bid submission. Only verified bidder's request shall be granted access to the google drive. To ensure auditability, all activity details in the google drive will be seen from the Activity Tab of e-bids@treasury.gov.ph.
	The address for submission of bids is:
	e-bids@treasury.gov.ph
	The deadline for submission of bids is on or before October 29, 2024, 8:00 a.m. , Philippine Standard Time (PST)
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]

- For purposes of Post-Qualification, the following document(s) shall be required to be submitted within the non-extendible five (5) calendar days from receipt of notice from the BAC:
 - 1. Latest income Tax Returns (for year 2023, filed 2024) (BIR Form 1701 or 1702);
 - 2. For the purposes of this bidding, prospective bidder shall submit their latest Value Added Tax Returns (Forms 2550M and 2550Q) or Percentage Tax Returns (Form 2551M) covering six (6) months prior to the Opening of Bids. However, in view of BIR RMC No. 5-2023, taxpayers are no longer required to file their monthly Value Added Tax Declaration or Form 2550M beginning January 1, 2023, hence, those with Quarter ending June 2024 and September 2024 shall submit the applicable forms pursuant to said BIR Memorandum.

The income tax and business tax returns stated above should have been filed through the Electronic Filing and Payment System (eFPS).

- 3. Original Bid Security or Notarized Bid Securing Declaration
- 4. Omnibus Sworn Statement and Secretary's Certificate and/or Special Power of Attorney

In case the PhilGEPS Certificate of Registration or any document listed under its Annex A has expired after the bid opening, the bidder is required to submit said documents anytime during the post-qualification stge.

Note: Documents submitted during post-qualification or as part of post qualification documents must be certified by the authorized representative to be true copy/ies from the original.

21.2 *No additional requirement.*

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- A. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- B. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

- C. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- D. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. [[Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.]

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement] specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1	Delivery Site:
	Bureau of the Treasury - Central Office Ayuntamiento Building Cabildo St., cor. A. Soriano Ave., Intramuros Manila
	Intramuros wanta
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For the purposes of this Clause the Procuring Entity's Representative at the Project Site is Mr. Jay Czar C. De Paz, TROO IV, Systems Administration Division (SAD)
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	a.performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	 b.furnishing of tools required for assembly and/or maintenance of the supplied Goods; c.furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d.performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations

under this Contract; and

- e.training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- f. [Specify additional incidental service requirements, as needed.]

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: The inspections and tests that will be conducted are: [Indicate the applicable

2.2

4

inspections and tests]

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Procurement of Network Security and IP Access Management System for the Bureau of the Treasury / ITB-4-2025-G-EPA			Sixty (60) calendar days upon receipt of Notice to Proceed.

I hereby certify to comply an above stated schedule.	nd deliver all of the above requirements in	accordance with the
Name of Company	Signature over Printed Name Of the authorized representative	Date

Section VII. Technical Specifications



Republic of the Philippines KAGAWARAN NG PANANALAPI KAWANIHAN NG INGATANG-YAMAN

(BUREAU OF THE TREASURY)

Intramuros, Manila



TECHNICAL SPECIFICATIONS

1. PROJECT TITLE:

Procurement of Network Security and IP Access Management System for the Bureau of the Treasury

2. OBJECTIVE:

The project aims to acquire a Network Security and IP Access Management System tailored for the Bureau to enhance our overall security posture. The system will regulate access based on user identity/privilege and device type, bolstering data protection and compliance on ISO 27001 standards. With features such as authentication and endpoint security assessments, the NAC will enable the Bureau to enforce access policies, detect threats, and maintain a secure computing environment.

- 3. AGENCY BUDGET FOR CONTRACT: PHP 4,200,000.00 Inclusive of all applicable taxes.
- 4. PROJECT DURATION, DELIVERY, COMMISSIONING, INSTALLATION AND ACCEPTANCE

Must complete the project within 60 calendar days from the receipt of the Notice to Proceed.

PART I. TECHNICAL SPECIFICATIONS			
A. IP Access Management and Network Access Control System – 1	BIDDER'S STATEMENT OF COMPLIANCE	ACTUAL OFFER (Actual specs being offered)	REFERENCE (Indicate exact page number)
1. General			
1.1 Must support at least 1600 nodes/active devices for visibility and control 1.2 Should be an appliance-type product that includes Policy Server, DB, and Management console.			
1.3 Should use encrypted communication between Policy Server, IP-Gathering Probe, and NAC Agent.			
1.4 Should support High Availability (HA) configuration in Policy Server (Active-Standby).			

14501 11 (111 1 A 11 111 (11A)		I
1.5 Should support High Availability (HA)		
configuration in IP-Gathering Probe		
(Active-Standby).		
1.6 Should support real-time dashboards		
for system status, policy, and important		
events notification.		
1.7 Audit logs should be transferred to		
SNMP, Syslog, and the E-mail system.		
1.8 Management console should support		
English and other major languages.		
1.9 Support for Static IP, DHCP IP,		
Mixed IP environments, and all subnet		
class.		
implementation. It should support		
standalone IP device network blocking		
operation without relying on other		
network configuration changes.		
1.11 IPAM, DHCP, NAC must be		
perpetual in license and Maintenance		
agreement is renewable on a yearly		
basis		
1.12 NAC & IPAM must be same brand		
solution		
1.11 Must be on-premises solution		
	and a Company	
2. IP Access Management & Network A	ccess Control	
	ccess Control	
2.1 Should support agentless and agent-	ccess Control	
2.1 Should support agentless and agent- base Network Access Control	ccess Control	
2.1 Should support agentless and agent-base Network Access Control2.2 By using Out-of-Band type	ccess Control	
2.1 Should support agentless and agent- base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or	ccess Control	
2.1 Should support agentless and agent- base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current	ccess Control	
2.1 Should support agentless and agent- base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or	ccess Control	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 	ccess Control	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of 	ccess Control	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very 	ccess Control	
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network	ccess Control	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 	ccess Control	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk 	ccess Control	
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a	ccess Control	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 	ccess Control	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP 	CCESS CONTROL	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC 	CCESS CONTROL	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP 	CCESS CONTROL	
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network	CCESS CONTROL	
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic.	CCESS CONTROL	
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent	CCESS CONTROL	
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself	CCESS CONTROL	
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself can detect and block any MAC address.	CCESS CONTROL	
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself can detect and block any MAC address. 2.7 Without installing the NAC Agent 		
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself can detect and block any MAC address. 2.7 Without installing the NAC Agent program on PC, IPAM system itself can 		
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself can detect and block any MAC address. 2.7 Without installing the NAC Agent 		
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself can detect and block any MAC address. 2.7 Without installing the NAC Agent program on PC, IPAM system itself can 		
2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself can detect and block any MAC address. 2.7 Without installing the NAC Agent program on PC, IPAM system itself can detect and block all IP-enabled devices.		
 2.1 Should support agentless and agent-base Network Access Control 2.2 By using Out-of-Band type implementation, system failures or installations should not interrupt current system operations. 2.3 Should support at least four types of Probes (small, medium, large, very large) to manage different network environments for future expansion. 2.4 Should support the 802.1q Trunk protocol to manage Multiple VLANs in a switch. 2.5 Should support Unicast ARP Spoofing to detect and block IP/MAC addresses to minimize local network traffic when gathering network traffic. 2.6 Without installing the NAC Agent program on a PC, the IPAM system itself can detect and block any MAC address. 2.7 Without installing the NAC Agent program on PC, IPAM system itself can detect and block all IP-enabled devices. 2.8 Should manage not only Online IP 	CCESS CONTROL	

1	1	1
2.9 Should provide OS information of the		
device and automatically classify it by		
type.		
2.10 Static-ARP setting in a PC, which		
configures IP-MAC static binding,		
shouldn't affect the main function of		
IP/MAC blocking.		
2.11 Should be able to redirect client		
access web pages to a captive portal		
page in HTTPS/HTTP.		
2.12 The captive portal page should		
provide an IP request/registration page.		
2.13 Should support HTTPS/HTTP		
redirection for initial installation of NAC		
Agents if they have to be implemented		
together.		
2.14 Should provide endpoint details		
including IP address, MAC address,		
Computer Name, Workgroup name, and		
NIC vendor information automatically.		
2.15 Should provide detected time		
information for all end IP/MAC devices.		
2.16 Should provide a customizable		
description field for updating endpoint		
information.		
2.17 Should provide features for Single		
IP-Single MAC binding, Single IP-Multi		
MAC binding, and Multi IP-Single MAC		
binding to manage different IP/MAC		
address environments.		
2.18 Should provide Mission critical		
•		
system Policy protection. So, System		
like as Server and Router have to be		
protected from administrator's human		
mistake		
2.19 Should ensure preoccupied IP		
addresses are protected from IP		
conflicts in DHCP environments.		
2.20 Should provide information on long-		
unused IP/MAC addresses. An		
automatic blocking option menu for		
· · · · · · · · · · · · · · · · · · ·		
those devices should be supported.		
2.21 DHCP Server Service should be		
supported at the Probe level, and		
administration should be able to enable		
or disable it depending on requirements.		
2.22 Should provide an Authorized		
DHCP pool and an Unauthorized DHCP		
pool for assigning different IP pools for		
internal DHCP devices and		
unknown/guest DHCP devices.		
2.23 Should support DHCP server		
creation, assign IP ranges/pools, subnet		
mask, and all subnet class.		

server service should be detected and the IP address of DHCP Server should be blocked by policy automatically. 3. Network Environment IP Access Management 3.1 Should physically deploy out-of-band, resulting in ease of troubleshooting. 3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		i i i
the IP address of DHCP Server should be blocked by policy automatically. 3. Network Environment IP Access Management 3.1 Should physically deploy out-of-band, resulting in ease of troubleshooting. 3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	2.24 Unauthorized 3rd party DHCP	
be blocked by policy automatically. 3. Network Environment IP Access Management 3.1 Should physically deploy out-of-band, resulting in ease of troubleshooting. 3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
3. Network Environment IP Access Management 3.1 Should physically deploy out-of-band, resulting in ease of troubleshooting. 3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
3.1 Should physically deploy out-of-band, resulting in ease of troubleshooting. 3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	be blocked by policy automatically.	
band, resulting in ease of troubleshooting. 3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	3. Network Environment IP Access Man	agement
troubleshooting. 3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	3.1 Should physically deploy out-of-	
3.2 Should not require the installation of any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	band, resulting in ease of	
any end-user agent. 3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	troubleshooting.	
3.3 Should be able to operate in the current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	3.2 Should not require the installation of	
current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	any end-user agent.	
current network infrastructure without any upgrades or switch integration. 3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	3.3 Should be able to operate in the	
3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
3.4 With a single port on the device, a multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	any upgrades or switch integration.	
multi-VLAN environment should be manageable using 802.1Q trunk settings on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	, , ,	
on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
on the switch port. 3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	manageable using 802.1Q trunk settings	
3.5 Should work over wired or wireless networks. 3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
3.6 Should be solutions that operate at the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	·	
the OSI Data Link layer level to protect any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	networks.	
any network from any device, regardless of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	3.6 Should be solutions that operate at	
of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	the OSI Data Link layer level to protect	
of static IP, DHCP IP, or mixed IP environment. 3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	any network from any device, regardless	
3.7 Should be able to control different operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
operating systems and networked devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	environment.	
devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	3.7 Should be able to control different	
devices such as laptops, desktops, IP phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	operating systems and networked	
phones, servers, printers, and mobile devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues	1 ' ' '	
devices. 4. Support and Services 4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
4.1 Provides 8x5 onsite support 4.2 Provides 24x7x365 support for critical issues		
4.2 Provides 24x7x365 support for critical issues	4. Support and Services	
critical issues	4.1 Provides 8x5 onsite support	
critical issues	4.2 Provides 24x7x365 support for	
	critical issues	
4.3 Provide support over the phone, via	4.3 Provide support over the phone, via	
web and email.	web and email.	
4.4 Provides Bi-Annual Health Check of	4.4 Provides Bi-Annual Health Check of	
the software	the software	

PART II. BIDDER'S COMPLIANCE 1. STATEMENT OF BIDDERS EXISTENCE AND EXPERTISE Must submit certification from manufacturer or distributor that the bidder is 1.1 authorized to bid, sell, support and maintain the products being offered. If distributor will certify the bidder, they must submit certification from Manufacturer acknowledging the distributor as partner of the product being offered. The bidder must submit certification coming from manufacturer or 1.2 distributor that they will extend direct technical support to the end-user for the products offered. The Bidder must be operating in the Philippines for the past Five (5) years

1.3

	as an IT company.	
1	.4 The Bidder must have at least two (2) certified experts for Network Security & IP Access Management Solution being offered and must submit training certifications.	
1	.5 The Bidder must have completed a single largest contract similar to the project to be bid equivalent to at least 50% of the ABC within the last 5 years.	
	Note: Similar projects are those related to supply and installation of Network Security Forensic Software or Security Monitoring Appliance	
1	.6 All certifications must be submitted along with bid documents.	
1	.7 Joint Venture and Subcontracting is not allowed.	
	PART III. OTHER CONDITIONS AND REQUIREMENTS	BIDDER'S STATEMENT OF
		COMPLIANCE
	 PROJECT PLANNING, IMPLEMENTATION AND SERVICES 1.1 Organize project briefing / kick-off meeting and submission of inception reportion for approval before implementation. 1.2 Setup of licenses and maintenance of system (e.g., regular patches, softwar upgrades) 	
	CRAINING AND SUPPORT 2.1 Must provide technology update training for at least three (3) Technical Personnel of Systems Administration Division (SAD) of Management Information Systems Service (MISS) at least once a year for the duration of the maintenance agreement.	nt
3.	SERVICE ACCEPTANCE A "Certificate of Completion" shall be issued after the testing period provided that the following conditions are met: 3.1.2 Hand-over of all necessary paper licenses (if applicable), installers duly signed delivery receipts with breakdown of items beind delivered within 30 days from installation of the licenses. 3.1.3 Submit a warranty and support certificate from the manufacture Warranty and support certificate shall have one (1) year coverage.	s, g

4.		WARRANTY AND SUPPORT	
	4.1		
		4.1.2 For hardware, the bidder shall provide a complete warranty, onsite	
		parts and labor (subject to applicability). All warranty parts shall be	
		of equal or better quality and the same brand as originally provided.	
		4.1.3 For software, the bidder shall provide support which includes bug	
		fixes, upgrades on both new version releases and maintenance	
		releases (subject to applicability).	
		4.1.4 For telephone call, SMS and/or email support, a maximum of one (1)	
		hour response time from the time of receipt of request for support.	
		4.1.5 Support must be available eight (8) hours by five (5) days support	
		4.1.6 For onsite support, next business day response time in case the	
		phone, email, or virtual remote support could not resolve the	
		problem.	
		4.1.7 Product warranty for 1 year (Parts, Labor, SMS/Email/Remote, and	
		On-Site Support).	
		4.1.8 Access to knowledge base portal	
		4.1.9 Pro-active advisories and support on patch/firmware upgrade (e.g.	
		bug fixes, security updates and capability improvements) 4.1.10 Submission of Service Report if applicable	
		4.1.10 Submission of Service Report if applicable 4.1.11 Bi-annual pre-emptive maintenance (Health Check)	
5	MO	DE OF PAYMENT	
٥.		One-time payment of the contract shall be made upon acceptance of supply,	
	J. 1	delivery, installation of software components and upon issuance of	
		certificate of completion.	
6.		OTHER CONDITIONS	
6.		OTHER CONDITIONS Freebies (if any/existing)	
6.	6.1	Freebies (if any/existing)	
6.			
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies".	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies".	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions:	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery.	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of:	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings.	
6.	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and	
	6.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD.	
7.	6.1 6.2	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD. ON-GRAFT CLAUSE	
	6.1 6.2	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD. ON-GRAFT CLAUSE The winning supplier warrants that it has not given nor promised to give any	
	6.1 6.2	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD. ON-GRAFT CLAUSE The winning supplier warrants that it has not given nor promised to give any money or gift to any officer or employee of the BTr, or any member of the	
	6.1 6.2	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD. ON-GRAFT CLAUSE The winning supplier warrants that it has not given nor promised to give any	
	6.1 6.2	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD. ON-GRAFT CLAUSE The winning supplier warrants that it has not given nor promised to give any money or gift to any officer or employee of the BTr, or any member of the Bids and Awards Committee, BAC secretariat or TWG, to secure this	
7.	6.1 6.2 N 7.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD. ON-GRAFT CLAUSE The winning supplier warrants that it has not given nor promised to give any money or gift to any officer or employee of the BTr, or any member of the Bids and Awards Committee, BAC secretariat or TWG, to secure this contract.	ons are
7. I	6.1 6.2 N 7.1	Freebies (if any/existing) 6.1.2 The vendor must submit a list specifying the quantity, name, and description of all included freebies marked as "Freebies". Delivery of the Equipment All deliveries including freebies, must be delivered to the Property and Supply Management Division (PSMD), under the following conditions: 6.2.2 Proper coordination of the Vendor with the Systems Administration Division (SAD) prior to the delivery. 6.2.3 No deliveries shall be accommodated without the presence of: 6.2.3.1 Detailed Delivery Receipts which identify the quantity, the name of the equipment/unit (including freebies), serial numbers, and costings. 6.2.3.2 Delivery Receipts and Invoices must be acknowledged and forwarded to the PSMD. ON-GRAFT CLAUSE The winning supplier warrants that it has not given nor promised to give any money or gift to any officer or employee of the BTr, or any member of the Bids and Awards Committee, BAC secretariat or TWG, to secure this	

	if found to be false during bid evaluation or po	
same shall	give rise to automatic disqualification of our b	id.
Name of Company	Signature over Printed Name Of the authorized representative	Date
	-	

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents Legal Documents Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); (a)Registration certificate from Securities and Exchange Commission (SEC), (b) Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, And Mayor's or Business permit issued by the city or municipality where the \bigcap (c) principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved \Box (d) by the Bureau of Internal Revenue (BIR). **Technical Documents** Statement of the prospective bidder of all its ongoing government and \prod (f) private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and Statement of the bidder's Single Largest Completed Contract (SLCC) \bigcap (g) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and \prod (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and Conformity with the Technical Specifications, which may include \prod (i) production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority

Additional requirements to the Technical Specifications

to its officer to sign the OSS and do acts to represent the Bidder.

 Must submit certification from manufacturer or distributor that the bidder is authorized to bid, sell, support and maintain the products being offered. If distributor will certify the bidder, they must submit certification from Manufacturer acknowledging the distributor as partner of the product being offered.

- The bidder must submit certification coming from manufacturer or distributor that they will extend direct technical support to the enduser for the products offered.
- The Bidder must be operating in the Philippines for the past Five
 (5) years as an IT company.
- The Bidder must have at least two (2) certified experts for Network Security & IP Access Management Solution being offered and must submit training certifications.

(j)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding
(k)	calendar year which should not be earlier than two (2) years from the date of bid submission; and The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	If the prospective bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. If issued by a foreign universal or commercial bank, it shall be confirmed or authenticated by a local universal or commercial bank.
(l)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the
Other doc	instance that the bid is successful. cumentary requirements under RA No. 9184 (as applicable)
(m)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
(n)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
FINANCI	AL COMPONENT ENVELOPE
(a) (b)	Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s).

II.

SAMPLE FORMS

Statement of Ongoing and Awarded But Not Yet Started Contracts

This is to certify that [name of company] has the following ongoing and awarded but not yet started contracts for CY 2019-2024

Name of	Date of the	Kind of	End-User's	Amount of	Value of	Bidder is		
Contract	Contract	Service/	Name and	Contract	Outstanding	A) Manufacturer		
		Goods	Address		Contracts	B) Supplier/Contrac		
		sold				tor		
						C) Distributor		
Name and Signature of Authorized Date								

Representative

Instructions:

- a) State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project called for bidding) as of:
 - (i) The day before the deadline of submission and opening of bids.
- b) If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state none.
- c) The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC) in case an NFCC is submitted as an eligibility document.

Statement of Single Largest Completed Contract (SLCC)

This is to certify that [name of company] has the SLCC for the period CY 2019-2024:

Date of the Contract	Name of Contract	Kind of Service/ Goods sold	End-User's Name and Address	Amount of Contract	Date of End- User's Acceptance, or Completion, and/or Official Receipt No./Delivery	Date of official Receipt	Bidder is (A)Manufacturer (B)Supplier/Contr actor © Distributor	
Name and Signature of Authorized Date Representative								

Instructions:

- a) Cut-off date as of:
 - (i) The day before the deadline of submission and opening of bids.
- b) In the column under "dates", indicate the dates of Delivery/End-user's acceptance and official receipt.
- c) Name of contract refers to the nature/scope of the contract for the procuring entity to determine the relevance of the entry with the procurement at hand. .

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM

Date: October 29, 2024 Project Identification No.: ITB-4-

2025-G EPA

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer the Procurement of Network Security and IP Access Management System for the Bureau of the Treasury / ITB-4-2025-G-EPA, in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

of agent Currency Commissio	1
(if none, state "None") /	

Name and address Amount and Dumass of

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Nam	Name of Bidder Project ID No Pageoi								
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8	Total Price delivered Final Destination (col 9) x (col 4)
Name: Legal Capacity: Signature:									
Duly	authorize	d to sign	the Bid f	or and	behalf of:				

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad											
Name of Bidder Project ID No Page of											
1	2	3	4	5	6	7	8	9			
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)			
Name:											
_											
Signa	ture:										
Duly	authorized	to sign t	he Bid fo	r and behalf of	:						

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)		
CITY/MUNICIPALITY OF)	S.	S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I	have	hereunto	set	my	hand	this	 day	of	,	20	at
	,	Philippines.												

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

of execution], Philippines. Affiant/s is/are by me through competent evidence of ic Practice (A.M. No. 02-8-13-SC). Affiant/s	before me this day of [month] [year] at [place personally known to me and was/were identified lentity as defined in the 2004 Rules on Notarial exhibited to me his/her [insert type of government tograph and signature appearing thereon, with no.
Witness my hand and seal this	day of [month] [year].
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No Page No Book No Series of	
* This form will not apply for WB funded	projects.

Note: During the opening of bids, the scanned copy of the Omnibus Sworn Statement will be accepted provided that the original will be submitted by the LCB/SCB together with the additional requirements for post-qualification within five (5) calendar days (non-extendible). Failure to do so will be a ground for post-disqualification.

BID SECURING DECLARATION FORM

REPUBLIC OF THE PH	ILIPPINES)
CITY OF) S.S.
X	X

BID SECURING DECLARATION Invitation to Bid: ITB-4-2025-G EPA

To: [Insert name and address of the Procuring Entity]

I/We³, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

³ Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE]
[Insert Signatory's Legal Capacity]
Affiant

	before me this day of [month] [year] at [place
of execution], Philippines. Affiant/s is/are	personally known to me and was/were identified
by me through competent evidence of id	lentity as defined in the 2004 Rules on Notarial
Practice (A.M. No. 02-8-13-SC). Affiant/s	exhibited to me his/her [insert type of government
· · · · · · · · · · · · · · · · · · ·	tograph and signature appearing thereon, with no.
, issued on at	5 · 1 · 1 · 5 · · · · · · · · · · · · ·
, 155ded on at	
Witness my hand and seal this	day of [month] [vear]
withess my hand and sear this	day of [monnt] [year].
	NAME OF NOTARY PUBLIC
	Serial No. of Commission
	Notary Public for until
	Roll of Attorneys No
	PTR No [date issued], [place issued]
	IBP No [date issued], [place issued]
D. M	
Doc. No	
Page No	
Book No	
Series of	

Note: During the opening of bids, the scanned copy of the duly notarized Bid Securing Declaration will be accepted provided that the original will be submitted by the LCB/SCB together with the additional requirements for post-qualification within five (5) calendar days (non-extendible). Failure to do so will be a ground for post-disqualification.

